

**Clean Version Of The Pending Claims Under 37 C.F.R. 1.121(c)(3):**

Claims 1-33, now pending, are submitted below in accordance with 37 C.F.R. §1.121(c)(3), which presents a clean version of the entire set of pending claims.

Sub BI 1. (Once Amended) A method of synchronizing data among a plurality of web servers, wherein each of the plurality of web servers is coupled to a common data server, the method comprising:

retrieving a scheduled activation time from the data server;  
prior to the scheduled activation time, retrieving updated data into staging caches in the plurality of web servers; and  
at the scheduled activation time, copying the updated data from the staging caches within each of the plurality of web servers to an active cache within each of the plurality of web servers, respectively.

2. (Unchanged) A method as recited in claim 1 further comprising:  
comparing a time associated with a clock in each web server to a time associated with a clock in the data server; and

adjusting the scheduled activation time on each web server by the time difference between the clock in the web server and the clock in the data server.

3. (Unchanged) A method as recited in claim 1 wherein each web server contains a clock, and wherein the clocks in the plurality of web servers are not synchronized with one another.

1           4.   (Unchanged) A method as recited in claim 1 wherein the copying  
2 data comprises swapping an active data cache pointer with a staged data cache  
3 pointer.

4  
5           5.   (Unchanged) A method as recited in claim 1 wherein no  
6 communications are required between the individual web servers to synchronize  
7 their data.

8  
9           6.   (Unchanged) A method as recited in claim 1 wherein retrieving  
10 updated data into staging caches in the plurality of web servers is performed  
11 asynchronously.

12  
13           7.   (Unchanged) A method as recited in claim 1 further comprising:  
14 after the scheduled activation time, updating data caches in the data server.

15  
16           8.   (Unchanged) A method as recited in claim 1 further comprising:  
17 after the scheduled activation time, calculating a next scheduled activation  
18 time.

19  
20           9.   (Unchanged) A method as recited in claim 1 further comprising:  
21 after the scheduled activation time, updating data caches in the data server  
22 and calculating a next scheduled activation time, wherein the updating and  
23 calculating are performed by the first web server to initiate a retrieval process after  
24 the scheduled activation time.  
25

1           **10.**    (Unchanged) A method as recited in claim 1 further comprising:  
2           if an additional web server is coupled to the data server, then copying data  
3           from an active cache in the data server to an active cache in the additional web  
4           server.

5  
6           **11.**    (Unchanged) A method as recited in claim 1 further comprising:  
7           if one of the plurality of web servers is initialized, then copying data from  
8           an active cache in the data server to the active cache in the initialized web server.

9  
10          **12.**    (Unchanged) A method as recited in claim 1 wherein the plurality of  
11          web servers comprise a web farm.

12  
13          **13.**    (Unchanged) A method as recited in claim 1 wherein the plurality of  
14          web servers comprise a web farm, and wherein the plurality of web servers are  
15          load balanced using a domain name service (DNS) round-robin technique.

16  
17          **14.**    (Unchanged) One or more computer-readable memories containing  
18          a computer program that is executable by a processor to perform the method  
19          recited in claim 1.

20  
21          **15.**    (Unchanged) A system comprising:  
22          a plurality of web servers coupled to a common data server, wherein each  
23          of the plurality of web servers comprises:

24                 a staging cache;

25                 an active data cache coupled to the staging cache;

1            wherein the web server is configured to retrieve a scheduled  
2            activation time from the data server, and further configured to retrieve  
3            updated data from the data server into the staging cache prior to the  
4            scheduled activation time; and

5            wherein the web server is configured to copy data from the staging cache to  
6            the active data cache at the scheduled activation time.

7  
8            **16.**    (Unchanged) A system as recited in claim 15 wherein each web  
9            server contains a clock having an associated time, and wherein each web server is  
10           configured to compare the time associated with the clock in the web server to a  
11           time associated with a clock in the data server.

12  
13           **17.**    (Unchanged) A system as recited in claim 16 wherein each web  
14           server is further configured to adjust the scheduled activation time on the web  
15           server by the time difference between the clock in the web server and the clock in  
16           the data server.

17  
18           **18.**    (Unchanged) A system as recited in claim 15 wherein each web  
19           server contains a clock, and wherein the clocks in the plurality of web servers are  
20           not synchronized with one another.

21  
22           **19.**    (Unchanged) A system as recited in claim 15 wherein the web  
23           server is further configured to swap an active data cache pointer with a staged data  
24           cache pointer.

1           **20.**     (Unchanged) A system as recited in claim 15 wherein each of the  
2 plurality of web servers is configured to update data caches in the data server after  
3 the scheduled activation time.

4  
5           **21.**     (Unchanged) A system as recited in claim 15 wherein each of the  
6 plurality of web servers is configured to calculate a next scheduled activation time  
7 after the scheduled activation time.

8  
9           **22.**     (Unchanged) A system as recited in claim 15 wherein the plurality  
10 of web servers comprise a web farm.

11  
12           **23.**     (Unchanged) One or more computer-readable media having stored  
13 thereon a computer program comprising the following steps:

14           retrieving a scheduled activation time from a data server;

15           prior to the scheduled activation time, retrieving updated data into a staging  
16 cache in a server;

17           at the scheduled activation time, copying data from the staging cache in the  
18 server to an active cache in the server; and

19           after the scheduled activation time, updating data caches in the data server  
20 and calculating a next scheduled activation time.

1           **24.**   (Unchanged) One or more computer-readable media as recited in  
2 claim 23 further comprising:

3           comparing a time associated with a clock in each server to a time associated  
4 with a clock in the data server; and

5           adjusting the scheduled activation time on each server by the time  
6 difference between the clock in the server and the clock in the data server.  
7

8           **25.**   (Unchanged) One or more computer-readable media as recited in  
9 claim 23 wherein each server contains a clock, and wherein the clocks in the  
10 plurality of servers are not synchronized with one another.  
11

12           **26.**   (Unchanged) One or more computer-readable media as recited in  
13 claim 23 wherein updating data caches in the data server and calculating the next  
14 scheduled activation time are performed if another process has not yet updated the  
15 data caches or calculated the next scheduled activation time during a current data  
16 synchronization cycle.  
17

18           **27.**   (Unchanged) One or more computer-readable media as recited in  
19 claim 23 further comprising:

20           if the server is initialized, then copying data from an active cache in the  
21 data server to the active cache in the initialized server.  
22  
23  
24  
25

1           **28.**   (Unchanged) One or more computer-readable media as recited in  
2 claim 23 wherein the copying data comprises swapping an active data cache  
3 pointer with a staged data cache pointer.  
4

5           **29.**   (Once Amended) A method of synchronizing data among a plurality  
6 of web servers, wherein each of the plurality of web servers is coupled to a  
7 common data server, the method comprising:  
8

9           providing a scheduled activation time from the data server to each of the  
10 plurality of web servers;  
11

12           communicating updated data into a staging cache in each of the plurality of  
13 web servers prior to the scheduled activation time; and  
14

15           copying data from the staging cache in each of the plurality of the web  
16 servers to an active cache in each of the plurality of the web servers, respectively,  
17 at the scheduled activation time.  
18

19           **30.**   (Unchanged) A method as recited in claim 29 wherein the  
20 communicating updated data into a staging cache is performed asynchronously.  
21

22           **31.**   (Unchanged) A method as recited in claim 29 wherein the copying  
23 data comprises swapping an active data cache pointer with a staged data cache  
24 pointer.  
25

**32.**   (Unchanged) A method as recited in claim 29 wherein no  
communication is required between the web servers to synchronize their data.

1           **33.**    (Unchanged) One or more computer-readable memories containing  
2 a computer program that is executable by a processor to perform the method  
3 recited in claim 29.  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25